

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	0	ADSL adj multiplexer near7 DSLAM near9 inject\$4 adj ADSL same hardware near4 attenuator and 50db same sloped adj attenuation	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/18 11:38
S2	2823727	ADSL near4 multiplexer near20 DSLAM near20 inject\$4 adj ADSL near4 hardware near4 attenuator and 50db and sloped near\$4 attenuation	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/17 17:11
S3	2823727	ADSL near4 multiplexer near10 DSLAM near10 inject\$4 adj ADSL near4 hardware near4 attenuator and 50db with sloped near\$4 attenuation	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/17 17:07
S4	2823727	ADSL near4 multiplexer near7 DSLAM near7 inject\$4 adj ADSL near4 hardware near4 attenuator and 50db with sloped near\$4 attenuation	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/17 17:08
S5	2823727	ADSL near4 multiplexer near7 DSLAM near7 inject\$4 adj ADSL near4 hardware near4 attenuator same 50db with sloped near\$4 attenuation	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/17 17:08
S6	2823727	ADSL adj multiplexer near7 DSLAM near7 inject\$4 adj ADSL near4 hardware near4 attenuator same 50db with sloped near\$4 attenuation	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/17 17:08
S7	2823727	ADSL adj multiplexer near7 DSLAM adj inject\$4 adj ADSL near4 hardware near4 attenuator same 50db with sloped near\$4 attenuation	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/17 17:09

EAST Search History

S8	575092	S7 and (communication or telecommunication or telephone or phone)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/17 17:11
S9	25	ADSL adj LT	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/17 17:12
S10	14	S8 and S9	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/17 17:14
S11	13	S10 and (@ad<="20030310" or @rlad<="20030310")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/17 17:14
S12	13	hardware adj attenuator	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/18 11:40
S13	141	hardware adj (attenuator or soothe or ease or satisfy or assuage)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/18 11:41
S14	1	hardware adj (attenuator or soothe or ease or satisfy or assuage) same ADSL	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/18 11:42

EAST Search History

S15	3	hardware adj (attenuator or soothe or ease or satisfy or assuage) same (50dB or "50" decibel)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 08:07
S16	6752189	(50dB or "50" decibel)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/18 11:44
S17	5796	S16 near7 hardware	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/18 11:45
S18	5	S17 same attenuat\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/18 11:47
S19	4718	(50db or decibel) same attenuat\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/18 11:47
S20	10513	S19 or S17	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/18 11:48
S21	4402	S20 and attenuation	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/18 11:48

EAST Search History

S22	10	(hardware near3 attenuat\$4) and S21	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/18 11:52
S23	4999	"50" adj dB	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/18 11:53
S24	30	S23 near4 attenuator	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/18 11:54
S25	0	S24 and ADSL	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/18 11:54
S26	8	S24 and hardware	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/18 11:54
S27	0	S25 and (telephone or phone)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/18 11:55
S28	5	S24 and (telephone or phone)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/18 12:04

EAST Search History

S29	5	ADSL adj attenuat\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 07:58
S30	5	ADSL adj attenuat\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 07:59
S31	0	S30 and mismatch near4 downstream	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 07:59
S32	3	S30 and mismatch	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 07:59
S33	2	S32 and downstream	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 08:00
S34	0	S33 and 50db	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 08:00
S35	0	hardware adj (attenuator or soothe or ease or satisfy or assuage) same ("50" adj dB or "50" adj decibel)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 08:08

EAST Search History

S36	5345	("50" adj dB or "50" adj decibel)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 08:18
S37	0	"L9" and hardware near3 (attenuator)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 08:10
S38	0	"L9" and hardware near10 (attenuator)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 08:10
S39	1	"L9" near3 attenuator	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 08:16
S40	80	S36 and ADSL	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 08:16
S41	29	S40 and (disparity or differen\$3 or divergen\$3 or varia\$4 or in\$1equal\$3) near10 down\$1stream	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 08:20
S42	0	S41 and slop\$3 near4 attenuation	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 08:21

EAST Search History

S43	0	S41 and slop\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 08:21
S44	0	S41 and flat near3 attenuation	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 08:22
S45	11	S41 and flat	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 08:55
S46	11	S45 and flat	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 08:58
S47	11	S46 and attenuation	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 09:37
S48	2	"20030108190"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 09:38
S49	1	("2003/0108190").URPN.	USPAT	OR	ON	2007/05/21 09:38
S50	7	("20020172329" "20030108190" "20060018337" "3943412" "5929402" "6281454" "6546100").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/21 09:48
S51	0	S50 and (flat adj characteristic\$2)	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/21 09:48

EAST Search History

S52	0	S50 and (flat near5 characteristic\$2)	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/21 09:49
S53	0	S50 and sloped	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/21 10:30
S54	3	S36 and mismatch near5 reduction	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/21 10:32
S55	80	S36 and (ADSL or asymmetric adj digital adj subscriber adj line)	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/21 10:54
S56	31	S55 and protection	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/21 10:38
S57	1722	S55 and capacitive coupling near15 attenuator	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/21 10:39
S58	1133	S55 and capacitive coupling near6 attenuator	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/21 10:39
S59	688	S55 and capacitive coupling near3 attenuator	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/21 10:39
S60	1	S55 and (capacitive adj coupling) same attenuator	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/21 10:41
S61	1	S55 and (capacitive adj coupling)	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/21 10:41
S62	6	S55 and capacitive	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/21 10:42
S63	1	S62 and attenuator	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/21 10:42
S64	26	S55 not DSL	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/21 11:08
S65	0	S64 and sloped near attenuation	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/21 11:08
S66	26	S55 not DSL	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/21 11:09

EAST Search History

S67	9	S66 and flat	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/21 11:09
S68	7	S67 and slop\$4	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/21 11:25
S69	1005	slop\$3 near3 attenuat\$4	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/21 11:26
S70	0	S69 and (flat near3 characterstic\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/21 11:27
S71	47	S69 and (flat near3 character\$5)	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/21 11:27
S72	40	S71 and (ADSL or asymmetric digital subscriber line)	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/21 11:31
S73	29	S72 and (@ad<="20031003")	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/21 13:46
S74	8	"6542585"	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/21 13:46
S75	2	S74 and down	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/21 13:47
S76	1	"6658105"	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/21 13:47
S77	0	S76 and downstream	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/21 13:48
S78	1	S76 and reduce	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/21 13:49
S79	1	S78 and (ADSL or asymmetric adj digital adj signal adj line)	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/21 13:50
S80	1	S79 and power	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/21 13:54
S81	0	S80 and attenuation	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/21 13:51

EAST Search History

S82	0	S80 and attenuat\$3	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/21 13:51
S83	1	S80 and power	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/21 14:02
S84	1	"20030108190"	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/21 14:04
S85	79	"L65" and attenuat\$5	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/21 14:05
S86	1	S84 and attenuate	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/21 15:17